## EWAN Install Procedures

Fall 2001

## Accessing TC ACCIS Through EWAN

**Problem:** The version of "telnet" that comes with Windows95 does not allow the TC ACCIS user to add, modify, or delete loads for Vehicles and Special Handling. Specifically, the user cannot exit (either with **ESC**, **CTRL-C**, or **F9**) the Loads section of the Equipment List screen (FICEUF012) after having added, modified, or deleted loads.

**NOTE**: The Function keys in this version of "telnet" are emulated, such that **CTRL-O** = **F6**, **CTRL-N** = **F9** 

**Solution**: From Shareware, there is a Ewan version of "telnet" which allows the user to use the Function keys (**F1 - F9**) [less **F5**] within the TC ACCIS application.

To download and install the EWAN version of "telnet" to your Personal Computer (PC) with Windows 95 or Windows 3.1 and access to the Internet, follow these instructions:

- 1. Logon to the Internet and go to: http://www.shareware.com
- 2. Do a Quick Search on EWAN.
- 3. Select **ewan1052.zip**.
- 4. Select a location from which to download data. Suggestion: If you are in the USA use any USA site.
- 5. Download the file to your PC. Keep track of where you download the **ewan1052.zip** file.
- 6. If your PC has a program to unzip files, you can unpack it. (Do not use pkzip if your OS is Windows95). If not, download an unzip program from <a href="http://www/shareware.com">http://www/shareware.com</a>
- 7. Search for either:

Winzip95.exe for Windows95 or Winzip31.exe for earlier versions of Windows

- 8. Download and install the unzip program.
- 9. Use the unzip program to unzip the **ewan1052.zip** file to a temporary directory: **C:\tmp**
- 10. Install ewan1052. It will create its own directory.

Once installed, to setup and access EWAN you must complete the following steps:

Click on: Start

**Programs** 

EWAN - winstockTelnet

**EWAN** 

Cancel opening screen: CONNECT TO SITE

Click on: **Options** 

**Edit Configuration** 

New

Click on **OK**.

**Keyboard** 

Highlight VT100KEY.KEY.

Click on the right arrow key to put your selection in **Used** 

Mappings.

Click on **OK** four times.

Click on: **Options** 

Edit keymap files

At the **Keyboard** window, select **VT100key.key**.

Click on: Edit

At the **Keymap** window, go to the **Key** field

Select "S".

The **Keyboard Sampler** window will open up with: **Press a key** 

Press the **F11** function key on your keyboard.

Put your cursor in the **Send as:** field.

In this field, type: ^[[21~

Click on: Add

OK Done

Click on: File

Open

The Connect to site window will open up

Click on: New

The **Address** window will open up.

\*Enter the following information:

Name (i.e. Belvoir)
Network address (111.111.1)
Configuration Select TC ACCIS

\*NOTE: The above information is an only an example. In the "Name" field you are required to enter the name for the host for which you wish to telnet. Network address should be an IP address or a host name that connects to the host site, for example "belvoirtcaccis.army.mil". Either the IP address or host name must be obtained from the host installation to which you are trying to connect with.

Click on: **OK** 

Click on: **OK** to connect to the site that was just added.

If you have any questions with the download of this free Shareware Software, please call the RAM hotline at 1-703-923-1060.